





Tobacco - Facts

Presentation

BY

LITTLE KITE UNIT

GHS TUVVUR



**A Woman Smoker
with Emphysema
Over Distension
&
Destruction
of
Air spaces in Lungs**

SMOKING AND CANCER RISK-1

**OESOPHAGEAL, ORAL,
BLADDER, KIDNEY,
STOMACH, PANCREATIC,
VULVULAR, CERVICAL
AND
COLORECTAL CANCERS**

SMOKING AND SURGICAL RISK-2

**INCREASED NEED
FOR SUPPLEMENTAL OXYGEN
FOLLOWING SURGERY**

DELAYED WOUND HEALING



WARNING

TOBACCO SMOKE HURTS BABIES

Tobacco use during pregnancy increases the risk of preterm birth. Babies born preterm are at an increased risk of infant death, illness and disability.

Health Canada

**ENVIRONMENTAL
TOBACCO SMOKE
AND
PAEDIATRIC ILLNESSES-1**

**INFECTIONS OF LOWER
RESPIRATORY TRACT
MORE SEVERE ASTHMA
MIDDLE EAR INFECTIONS**

**ENVIRONMENTAL
TOBACCO SMOKE
AND
PAEDIATRIC ILLNESSES-2**

CROHN'S DISEASE

ULCERATIVE COLITIS

SUDDEN INFANT DEATH SYNDROME

**IMPAIRED DELIVERY
OF OXYGEN TO TISSUES**



WARNING

YOU'RE NOT THE ONLY ONE SMOKING THIS CIGARETTE

The smoke from a cigarette is not just inhaled by the smoker. It becomes second-hand smoke, which contains more than 50 cancer-causing agents.

Health Canada



DON'T POISON US

WARNING: Second-hand smoke contains carbon monoxide, ammonia, formaldehyde, benzo[a]pyrene and nitrosamines. These chemicals can harm your children.

Health Canada



**DON'T LET
CHILDREN
BREATHE
YOUR
SMOKE**

Health Authority Warning

**DON'T LET CHILDREN
BREATHE YOUR SMOKE**

Health Authority Warning



SMOKING KILLS



**Your
smoking
kills
babies**

Children exposed to passive smoking experience more serious illnesses such as pneumonia, middle ear infections and asthma attacks. Babies exposed to passive smoking are at greater risk of SIDS (Sudden Infant Death Syndrome).

You CAN quit smoking. Call Quitline 131 848, talk to your doctor or pharmacist, or visit www.quitnow.info.au

CRADLE DEATH

SMOKING AND COMPLICATIONS IN OBSTETRICS AND GYNAECOLOGY

INFERTILITY

FOETAL GROWTH RETARDATION

PREMATURITY, STILL BIRTH

PREMATURE “WATER BREAKING”



WARNING
**TOBACCO USE
CAN MAKE YOU
IMPOTENT**

Cigarettes may cause sexual impotence due to decreased blood flow to the penis. This can prevent you from having an erection.

Health Canada

SMOKING BRAIN & BEHAVIOUR

DEPRESSION



WARNING

IDLE BUT DEADLY


Smoke from a lit cigarette contains toxic substances like hydrogen cyanide, formaldehyde and benzene. Second-hand smoke can cause death from lung cancer and other diseases.

Health Canada

SMOKING AND ORAL HEALTH

INCREASED
SUSCEPTIBILITY
TO PERIODONTAL
DISEASES
DISCOLOURED
TEETH
ORAL CANCER





WARNING

CIGARETTES CAUSE MOUTH DISEASES

**Cigarette smoke causes oral cancer,
gum diseases and tooth loss.**

Health Canada